

## **DESIGNER FACE FRAMES®**

	_
<b>Ouote</b>	Earm
CHICH	COLIII

Sustomer Code: Date:	_	QUO	<b>)TE</b>	ON	LY!	All quo submit	ites will be dr ted for your	awn and approval.		
ob Name / PO:		This is p	page <sub>-</sub>		_ of _		_ pages being	g faxed		
ompany:				_	<u> </u>				_	
ity:		rame E FE-1 (	_			-±ion)				
ontact Name: Phone:				-			☐ FE-1	11		
	-			_			<u> </u>			
hip to Address:										
ity, State, Zip:	- 1	int Co					-			
	<b>–</b> –	Haunc	ch (sta	andard)	) L	Butt	Joint (FE-1 (	Only)		
ame Material:										
The Materian	·	Tab	Wie	dth [	Depth	7 [	Tab W	idth Dept	h	
noose Face Frame Thickness		3/8	+		1/4			1/2 1/4	_	
3/4" Face Frame (395)		3/8	$\overline{}$	_	3/8	1	=+	1/4 1/4	_	
		3/8	$\overline{}$	_	1/4	] [		3/4 1/4	_	
<b>ce Frame Options</b> Assembled □ Un-Assembled						_				
ASSETTUTED	<u></u>		.,							
<u> </u>	5	Specia	al Ins	struc	ction	s:				
Josiamor										
esigner FACE FRAMES										
V										
/ / / / / / / / / / / / / / / / / / / /	///	/ %	dht/	.e./	.dht/	,4h /	'ight / igh			
/ / / / / / / / / / / / / / / / / / / /	7. 1 %. \		~ / ~	٠٨٠/	.0.		V/ , V			
stion of knoth knoth high his his his his his his his his his hi	widt. widt.	' ning He	Raily	id spine	Here	Nio crift	g Her Rail Wid			
Control of or	Stile Midter Opening Midter	Opening He	Ctr Rail V	d Opening	Hers, Rail	wid Derif	gheer Rail mid D	ado Placement	**	
Configuration of the distribution of the distr	stile might opening might	Opering He	Ctr Railing	d Opening	Height K	arid Openin	Articar Rail Higher D	ado Placement <sup>,</sup>	**	Btm
# QTY W H A B C D E	F G	Opening the And		J J	Het Rail					Btm
# QTY W H A B C D E	General Top	Opening the Production of the		J J	rd Ctr Rail		Left ☐ Inside ☐ Outside	Right ☐ Inside ☐ Outside	Тор	$\vdash$
# QTY W H A B C D E	F G	Opening He		J J	Hers Rail		Left ☐ Inside ☐ Outside ☐ Inside	Right ☐ Inside ☐ Outside ☐ Inside	Тор	$\vdash$
# QTY W H A B C D E	General Top	Opening He		J J	Ares K		Left ☐ Inside ☐ Outside ☐ Inside ☐ Outside	Right ☐ Inside ☐ Outside ☐ Inside ☐ Outside	Тор	
# QTY W H A B C D E	F G	H H		J J	heer rail		Left ☐ Inside ☐ Outside ☐ Inside ☐ Unside ☐ Inside ☐ Inside	Right ☐ Inside ☐ Outside ☐ Inside ☐ Unside ☐ Inside ☐ Inside	Тор	
# QTY W H A B C D E	F G	Opening the Production of the		J J	heer kall		Left  ☐ Inside ☐ Outside ☐ Inside ☐ Outside ☐ Outside ☐ Outside ☐ Outside	Right ☐ Inside ☐ Outside ☐ Inside ☐ Outside ☐ Inside ☐ Outside ☐ Outside ☐ Outside	Top	
# QTY W H A B C D E	F G	OPENING THE PROPERTY OF THE PR		J J	K K		Left ☐ Inside ☐ Outside ☐ Inside ☐ Unside ☐ Inside ☐ Inside	Right ☐ Inside ☐ Outside ☐ Inside ☐ Unside ☐ Inside ☐ Inside	Top	
# QTY W H A B C D E	F G	OPENING THE TRANSPORTER		J J	ke K		Left  ☐ Inside ☐ Outside ☐ Inside ☐ Outside ☐ Outside ☐ Inside ☐ Inside ☐ Inside ☐ Inside	Right ☐ Inside ☐ Outside ☐ Inside ☐ Outside ☐ Inside ☐ Inside ☐ Inside ☐ Inside ☐ Inside	Top	
# QTY W H A B C D E	F G	OPENING TE		J J	K K		Left  ☐ Inside ☐ Outside ☐ Outside ☐ Outside ☐ Outside ☐ Inside ☐ Outside ☐ Outside ☐ Outside ☐ Outside	Right ☐ Inside ☐ Outside ☐ Inside ☐ Inside ☐ Inside ☐ Inside ☐ Outside ☐ Outside ☐ Outside ☐ Outside	Top	
# QTY W H A B C D E	F G	OPENING THE PROPERTY OF THE PR		J J	K K		Left  ☐ Inside ☐ Outside ☐ Outside ☐ Inside ☐ Outside ☐ Outside ☐ Outside ☐ Inside ☐ Inside ☐ Inside ☐ Inside ☐ Inside	Right ☐ Inside ☐ Outside ☐ Inside ☐ Outside ☐ Inside ☐ Outside ☐ Inside ☐ Outside ☐ Inside ☐ Inside ☐ Inside ☐ Inside	Top	
# QTY W H A B C D E	F G	OPENING THE TRANSPORTER		J J	K K		Left  ☐ Inside ☐ Outside ☐ Outside ☐ Inside ☐ Outside ☐ Inside ☐ Outside ☐ Inside ☐ Inside ☐ Outside ☐ Outside ☐ Outside ☐ Outside ☐ Outside	Right  Inside Outside Inside Outside Inside Outside Inside Outside Inside Inside Inside Outside Inside Outside	Top	
# QTY W H A B C D E	F G	OPENING TE		J J	K K		Left  ☐ Inside ☐ Outside ☐ Inside ☐ Outside ☐ Inside ☐ Outside ☐ Inside ☐ Inside ☐ Outside ☐ Inside ☐ Outside ☐ Inside	Right ☐ Inside ☐ Outside ☐ Inside ☐ Outside ☐ Inside ☐ Outside ☐ Outside ☐ Inside ☐ Inside ☐ Inside ☐ Inside ☐ Inside ☐ Inside	Top	
# QTY W H A B C D E	F G	OPENING HE		J J	K K		Left  ☐ Inside ☐ Outside ☐ Outside ☐ Inside ☐ Outside ☐ Outside ☐ Outside	Right   Inside   Outside	Top	
# QTY W H A B C D E	F G	OPENING THE TOTAL OF THE TOTAL		J J	K K		Left  ☐ Inside ☐ Outside ☐ Outside ☐ Inside ☐ Inside ☐ Outside ☐ Inside ☐ Outside ☐ Inside ☐ Inside ☐ Inside ☐ Inside ☐ Inside	Right ☐ Inside ☐ Outside ☐ Inside ☐ Inside ☐ Outside ☐ Inside ☐ Inside ☐ Inside ☐ Inside ☐ Inside ☐ Inside	Top	
# QTY W H A B C D E	F G	OPENING TE		J J	K K		Left  ☐ Inside ☐ Outside ☐ Outside ☐ Inside ☐ Outside ☐ Outside ☐ Outside	Right   Inside   Outside	Top	
THE PROPERTY OF THE PROPERTY O	F G	OPENING HE		J J	K K		Left  ☐ Inside ☐ Outside ☐ Outside ☐ Inside ☐ Inside ☐ Outside ☐ Inside ☐ Outside ☐ Inside ☐ Inside ☐ Inside ☐ Inside ☐ Inside	Right ☐ Inside ☐ Outside ☐ Inside ☐ Inside ☐ Outside ☐ Inside ☐ Inside ☐ Inside ☐ Inside ☐ Inside ☐ Inside	Top	
# QTY W H A B C D E  Conf. #207 use drawing grid order form. etermine placement by looking at the face of the frame.	When	nen choo	n n n n n n n n n n n n n n n n n n n	J o purch	K K	th a cre	Left  ☐ Inside ☐ Outside ☐ Outside ☐ Outside	Right ☐ Inside ☐ Outside ☐ Inside ☐ Inside ☐ Outside ☐ Inside ☐ Inside ☐ Inside ☐ Inside ☐ Inside ☐ Inside	Top	
Conf. #207 use drawing grid order form.	When	nen choo	n n n n n n n n n n n n n n n n n n n	J o purch	K K	th a cre	Left  ☐ Inside ☐ Outside ☐ Outside ☐ Inside ☐ Outside	Right ☐ Inside ☐ Outside ☐ Inside ☐ Inside ☐ Outside ☐ Inside ☐ Inside ☐ Inside ☐ Inside ☐ Inside ☐ Inside	Top	

Orders: 800.729.7277 Fax: 800.338.0852 Email: customerservice@decore.com



## **DESIGNER FACE FRAMES®**

<b>Quote Form</b>
-------------------

Customer Code: Date:	QUOTE ONLY! All quotes will be drawn and submitted for your approval.
Job Name / PO:	This is page of pages being faxed

	Ontre	Juation Of		Overall Six	ine e	r Stile Wid	rth Rail widt	in stile w	iden Railwid	it stile wid	oening wid	th Opening	Height And Ctr Rail	midth 3	Height de Cr. Rail	didth	Height D.	ado Placement*	*		
ı	T#	QTY	W	Н	A	<u>/</u> ~	c	)	E	F	<u> </u>	7 7	<u> </u>	<u> </u>	) <u>/</u> .	) <u> </u>	Left	Right	Тор	Btm	
9	-	QII	**	<del>  ''</del>	<u> </u>		-	-	-	<del>  '</del>	-	<del>- ''-</del>	<del>  '</del>	,	<u>                                   </u>	-	□ Inside	□ Inside	<u> </u>		
																	□ Outside	□ Outside			
10												□ Inside	□ Inside								
'																	□ Outside	□ Outside			
11												□ Inside	□ Inside								
														□ Out:	□ Outside	□ Outside	-				
12																	□ Inside	□ Inside	side		
																	□ Outside	□ Outside	-		
13			İ														□ Inside	□ Inside			
																	□ Outside	□ Outside	i		
14			İ														□ Inside	□ Inside			
																	□ Outside	□ Outside	-		
15			İ														□ Inside	□ Inside			
																	□ Outside	□ Outside	-		
16			İ														□ Inside	□ Inside			
																	□ Outside	□ Outside	i		
17			İ					ĺ					Ì			İ	□ Inside	□ Inside			
																	□ Outside	□ Outside	1 "		
18			İ					Ì								Ì	□ Inside	□ Inside			
																□ Outside	□ Outside	1			
19																	□ Inside □ Insid	□ Inside			
																		□ Outside	□ Outside	1 "	
20																	□ Inside	□ Inside			
																	□ Outside	□ Outside	]		
21																	□ Inside	□ Inside			
																	□ Outside	□ Outside	]		
22																	□ Inside	□ Inside			
																	□ Outside	□ Outside			
23																	□ Inside	□ Inside			
																	□ Outside	□ Outside			
24																	□ Inside	□ Inside			
																	□ Outside	□ Outside			
25																	□ Inside	□ Inside			
																	□ Outside	□ Outside			
26																	□ Inside	□ Inside			
																	□ Outside	□ Outside		$\Box$	
27																	□ Inside	□ Inside			
																	□ Outside	□ Outside			

Requested Ship Date	/	/
☐ Our Truck ☐ Small Parcel	☐ Freight	☐ Will Call

When choosing to purchase with a credit card, a 2.5% surcharge will apply for each transaction.

Office Use Only		
CSR:	 	

Orders: 800.729.7277 Fax: 800.338.0852 Email: customerservice@decore.com

<sup>\*</sup>For Conf. #207 use drawing grid order form.
\*\*Determine placement by looking at the face of the frame.



## DESIGNER FACE FRAMES® Quote Form

LRN1-1014b-20

This is page	Drawing for Conferration #207
# QTY W H A B C D Left Right Top Btm	Drawing for Configuration #207
# QTY W H A B C D Left Right Top Btm	Drawing for Configuration #207
. , , , , , , , , , , , , , , , , , , ,	Drawing for Configuration #20/ (write all dimensions on drawing)
_	
	+++++++++++++++++++++++++++++++++++++++
/8" Scale When choosing to page 2.5% surcharge w	purchase with a credit card, will apply for each transaction.
Requested Ship Date / / Office Use  □ Our Truck □ Small Parcel □ Freight □ Will Call CSR:	Only

Orders: 800.729.7277 Fax: 800.338.0852 Email: customerservice@decore.com